L Number	Hits	Search Text	DB	Time stamp
12	24	(719/326).CCLS.	USPAT;	2004/10/18 14:47
		· · ·	US-PGPUB;	
			EPO;	
			DERWENT;	
			IBM_TDB	
13	105	(719/311).CCLS.	USPAT;	2004/10/18 14:47
	ľ		US-PGPUB;	
			EPO;	
			DERWENT;	
14	802	(719/328) CCLS.	IBM_TDB USPAT;	2004/40/49 44:47
'*	002	(119/326).CCLG.	US-PGPUB;	2004/10/18 14:47
			EPO;	
			DERWENT;	
			IBM_TDB	
15	255	(717/106).CCLS.	USPAT;	2004/10/18 14:47
		,	US-PGPUB	
		·	EPO;	
			DERWENT;	
:			IBM_TDB	,
16	144	(717/113).CCLS.	USPAT;	2004/10/18 14:47
			US-PGPUB;	
			EPO;	
			DERWENT;	
		(NCCOA FOEII) DN	IBM_TDB	00044104404444
-	2	("6621505").PN.	USPAT;	2004/10/18 14:44
			US-PGPUB;	
			EPO; DERWENT;	
			IBM_TDB	
<u> </u>	l o l	6621505.URPN.	USPAT	2004/10/17 13:20
_	55	xml with strong\$4 near2 typ\$3	USPAT;	2004/10/17 14:04
		7 on ong v	US-PGPUB;	200 17 107 17 11:01
			EPO;	
			DERWENT;	
			IBM_TDB	. 1
-	2	xml with strong\$4 near2 typ\$3 with java	USPAT;	2004/10/17 14:05
			US-PGPUB;	
			EPO;	
			DERWENT;	
	20	yml with stranged near type?	IBM_TDB	2004/40/47 44:44
-	32	xml with strong\$4 near2 typ\$3 same java	USPAT;	2004/10/17 14:11
	j		US-PGPUB; EPO;	
			DERWENT;	
]		IBM_TDB	
_	o	(xml with strong\$4 near2 typ\$3 same java) and ((@ad <	USPAT;	2004/10/17 14:10
		"20000114") or (@prad < "20000114") or (@rlad <	US-PGPUB;	
	j i	"20000114"))	EPO;	
		· ·	DERWENT;	
			IBM_TDB	
-	4	(xml with strong\$4 near2 typ\$3) and ((@ad < "20000114") or	USPAT;	2004/10/18 11:01
		(@prad < "20000114") or (@rlad < "20000114"))	US-PGPUB;	
			EPO;	
			DERWENT;	
	4-	atron m0.4 m and 4 mm0.2 with inve	IBM_TDB	000440474444
•	47	strong\$4 near2 typ\$3 with java	USPAT;	2004/10/17 14:11
			US-PGPUB;	
			EPO; DERWENT;	
	·		IBM_TDB	
	L		1011 100	L.,

-	32	(strong\$4 near2 typ\$3 with java) and ((@ad < "20000114")	USPAT;	2004/10/17 14:32
		or (@prad < "20000114") or (@rlad < "20000114"))	US-PGPUB;	
			EPO;	
			DERWENT;	
	_	"20040422202"	IBM_TDB	2004/40/49 42:50
-	2	"20040123302"	USPAT; US-PGPUB;	2004/10/18 12:50
			EPO;	
			DERWENT;	
1			IBM_TDB	
-	20	erp same xml same java	USPAT;	2004/10/17 14:53
		•	US-PGPUB;	
			EPO;	
			DERWENT;	
			IBM_TDB	
-	21	(erp or (enterprise with resource with planning)) same xml	USPAT;	2004/10/17 14:55
		same java	US-PGPUB;	
			EPO; DERWENT;	
			IBM TDB	
-	0	(erp same xml same java) not ((erp or (enterprise with	USPAT;	2004/10/17 14:54
		resource with planning)) same xml same java)	US-PGPUB;	
		, , , , , , , , , , , , , , , , , , ,	EPO;	
			DERWENT;	
			IBM_TDB	
-	1	((erp or (enterprise with resource with planning)) same xml	USPAT;	2004/10/17 14:54
		same java) not (erp same xml same java)	US-PGPUB;	
			EPO;	
			DERWENT; IBM_TDB	
_	73	(erp or (enterprise with resource with planning)) same java	USPAT;	2004/10/17 14:55
•		(orp or (orterprise war resource war planning)) same java	US-PGPUB;	2004/10/17 14:00
			EPO;	
1			DERWENT;	
			IBM_TDB	
-	3	((erp or (enterprise with resource with planning)) same	USPAT;	2004/10/17 14:56
		java).ab.	US-PGPUB;	
			EPO; DERWENT;	
			IBM_TDB	ĺ
_	64	((erp or (enterprise with resource with planning)) same java)	USPAT;	2004/10/17 14:56
	,	and (html or xml)	US-PGPUB;	
		•	EPO;	
			DERWENT;	
	ا م	Manager and analysis of the second se	IBM_TDB	
-	11	((erp or (enterprise with resource with planning)) same java	USPAT;	2004/10/17 14:58
		same (merg\$4 or conver\$6 or translat\$4)) and (html or xml)	US-PGPUB; EPO;	
]			DERWENT;	
			IBM_TDB	
-	2	merg\$4 with java with xml with template	USPAT;	2004/10/17 14:58
		-	US-PGPUB;	
			EPO;	
]	. ,		DERWENT;	
			IBM_TDB	
-	39	java with xml with template	USPAT;	2004/10/17 14:59
			US-PGPUB;	
			EPO; DERWENT;	
			IBM_TDB	
-	18	java with xml with template with (creat\$4 or generat\$6)	USPAT;	2004/10/17 15:00
		, , , , , , , , , , , , , , , , , , , ,	US-PGPUB;	
			EPO;	
			DERWENT;	
			IBM_TDB	L

-	101	java with xml with html with (creat\$4 or generat\$6)	USPAT;	2004/10/17 15:01
			US-PGPUB;	
			EPO;	
			DERWENT;	
	*		IBM_TDB	
-	8	java with xml with html with (creat\$4 or generat\$6) with	USPAT;	2004/10/17 15:04
	1	object	US-PGPUB;	
			EPO;	
	İ	· ·	DERWENT;	
			IBM_TDB	
-	2	("6504554").PN.	USPAT;	2004/10/17 15:37
			US-PGPUB	
	1	•	EPO;	
	İ		DERWENT,	
	1		IBM_TDB	
_	2	6504554.URPN.	USPAT	2004/10/17 15:03
_		java with xml with html with (merg\$4) with object	USPAT;	2004/10/17 15:04
	_	J	US-PGPUB	
			EPO;	
		′	DERWENT;	1
			IBM_TDB	
1_	5	java with xml with html with (merg\$4 or combin\$6) with	USPAT;	2004/10/17 15:04
		object	US-PGPUB;	2004/10/17 10:04
			EPO;	
			DERWENT;	
			IBM_TDB	
1_	2	6504554.URPN.	USPAT	2004/10/17 15:11
	716	(conver\$6 or translat\$6) with xml with html	USPAT;	2004/10/17 15:11
	' ' '	(converge of translates) with xim with him	US-PGPUB;	2004/10/17 13.10
			EPO;	
			DERWENT;	
			IBM_TDB	
_	30	(conver\$6 or translat\$6) with xml with html with java	USPAT;	2004/10/17 15:22
		(converse of translate) with xim with have	US-PGPUB;	2004/10/17 13.22
			EPO;	
			DERWENT:	
			IBM_TDB	
_	203	(conver\$6 or translat\$6) near2 xml near2 html	USPAT;	2004/10/17 15:23
		(SOME OF WARDING OF HOUSE AND MEANS HAVE	US-PGPUB;	2004/10/17 10.20
			EPO;	
			DERWENT;	
			IBM_TDB	
	15	(conver\$6 or.translat\$6) near2 xml near2 html same java	USPAT;	2004/10/17 15:23
	.5	\	US-PGPUB;	2004/10/17 10.20
			EPO;	
	 .		DERWENT;	
			IBM_TDB	· ·
_	1	((conver\$6 or translat\$6) near2 xml near2 html same java)	USPAT;	2004/10/17 15:24
[]	'	and ((@ad < "20000114") or (@prad < "20000114") or	US-PGPUB;	2004/10/1/ 15.24
		and ((@ad < 20000114) or (@prad < 20000114) or (@rlad < "20000114"))	EPO;	
		(Wilds - 20000117))	DERWENT;	
			IBM_TDB	
<u>-</u>	17	((conver\$6 or translat\$6) near2 xml near2 html) and ((@ad <	USPAT;	2004/10/17 15:24
	''	"20000114") or (@prad < "20000114") or (@rlad <	US-PGPUB;	2004/10/1/ 15.24
		"20000114"))	EPO;	
]				
			DERWENT;	
<u> </u>	2	"20020013862"	IBM_TDB USPAT;	2004/10/17 15:20
-		20020010002	USPAT; US-PGPUB;	2004/10/17 15:39
			EPO;	
			DERWENT;	
			IBM_TDB	

-	2	("6125391").PN.	USPAT;	2004/10/17 15:39
			US-PGPUB;	
			EPO;	
			DERWENT; IBM TDB	
1_	8	(merg\$4 or combin\$8) adj3 java adj3 xml	USPAT;	2004/10/18 09:48
-	ľ	(mergan or combinato) aujo java aujo xim	US-PGPUB;	2004/10/10 09.40
			EPO;	
		,	DERWENT:	
			IBM_TDB	
_	32	java adj5 xml adj5 html	USPAT;	2004/10/18 09:55
		, ,	US-PGPUB;	
	l		EPO;	
			DERWENT;	
· ·		·	IBM_TDB	
-	24	("4949253" "5269014" "5491628" "5530863" "5548508"	USPAT	2004/10/18 09:53
		"5608904" "5629846" "5659729" "5715453" "5802529"		
		"5878411" "5915259" "5920879" "5940075" "6014680"		
		"6055522" "6055526" "6226642" "6073143" "6182092"		
	_	"6192415" "6202072" "6272673" "6418441").PN.		
1-	1	6569207.URPN.	USPAT	2004/10/18 09:55
-	9	template adj5 xml adj5 html	USPAT;	2004/10/18 09:57
			US-PGPUB;	
			EPO; DERWENT;	
			IBM TDB	
_	67	xsl adj5 xml adj5 html	USPAT;	2004/10/18 09:57
		Arraujo Amiraujo mami	US-PGPUB;	200 17 107 10 00:07
		*	EPO;	
	:		DERWENT;	
			IBM_TDB	:
-	2	xsl adj5 xml adj5 html with java	USPAT;	2004/10/18 10:04
	į		US-PGPUB;	
			EPO;	
			DERWENT;	
	44	seledit seeledit hande een inse	IBM_TDB	0004/40/40 40:54
-	11	xsl adj5 xml adj5 html same java	USPAT; US-PGPUB;	2004/10/18 10:51
			EPO;	
		·	DERWENT;	
1		· ·	IBM_TDB	
-	О .	6772413.URPN.	USPAT	2004/10/18 10:06
-	65	("4754428" "5142622" "5239662" "5283887" "5315710"	USPAT	2004/10/18 10:06
		"5428771" "5509121" "5530842" "5535373" "5546584"		
		"5557776" "5557780" "5630101" "5638517" "5680552"		
		"5694580" "5706434" "5708778" "5708828" "5729755"		
		"5740374" "5758194" "5778189" "5787255" "5793958"		
		"5812766" "5825774" "5826017" "5826219" "5835789"		
		"5841985" "5852660" "5916305" "5918063" "5940075"		
		"5943481" "5951645" "5961594" "5966545" "5987256" "5991539" "6006267" "6009471" "6014712" "6021275"		·
		"6032147" "6034963" "6038565" "6125391" "6195662"	***	
		"6195664" "6226675" "6295541" "6336124" "6377952"		
		"6411395" "6463445" "6488209" "6502236" "6507857"		
		"6532473" "6601056" "6654950" "6671701"		
		"6687873").PN.		
-	17	xsl adj5 xml adj5 html same (java or jsp or applet or bean or	USPAT;	2004/10/18 10:08
		servlet)	US-PGPUB;	
			EPO;	
			DERWENT;	
	45	0040000 UDDN	IBM_TDB	00044045
	42	6012098.URPN.	USPAT	2004/10/18 10:16

-	813	enterprise and gateway and xml and html and java	USPAT; US-PGPUB;	2004/10/18 10:53
			EPO;	
			DERWENT;	
			IBM_TDB	
-	66	enterprise with resource with planning and gateway and xml	USPAT;	2004/10/18 11:14
		and html and java	US-PGPUB;	
		,	EPO;	
			DERWENT; IBM_TDB_	
_	10	(enterprise with resource with planning and gateway and xml	USPAT;	2004/10/18 11:59
		and html and java) and ((@ad < "20000114") or (@prad <	US-PGPUB;	200 17 107 10 11.00
		"20000114") or (@rlad < "20000114"))	EPO;	
		, , , , , , , , , , , , , , , , , , , ,	DERWENT;	
			IBM_TDB	
-	19	((enterprise adj resource adj planning) or erp) with gateway	USPAT;	2004/10/18 11:14
			US-PGPUB;	
			EPO;	
			DERWENT;	
_	3	(((enterprise adj resource adj planning) or erp) with gateway)	IBM_TDB USPAT;	2004/10/18 11:58
		and ((@ad < "20000114") or (@prad < "20000114") or	US-PGPUB;	2004/10/10 11:00
		(@rlad < "20000114"))	EPO;	
			DERWENT;	
			IBM_TDB	
-	2	java adj object with (stream\$4 or serial\$8) with xml same	USPAT;	2004/10/18 11:59
		html	US-PGPUB;	
			EPO;	
			DERWENT;	
_	58	java adj object with (stream\$4 or serial\$8) with xml	IBM_TDB USPAT;	2004/10/18 11:59
			US-PGPUB;	2004/10/10 11:00
			EPO;	
			DERWENT;	
1			IBM_TDB	
-	10	(java adj object with (stream\$4 or serial\$8) with xml) and	USPAT;	2004/10/18 11:59
		((@ad < "20000114") or (@prad < "20000114") or (@rlad <	US-PGPUB;	
.	-	"20000114"))	EPO;	
	•		DERWENT; IBM TDB	
_	20	6125391.URPN.	USPAT	2004/10/18 12:19
_	12	6125391.URPN. and java and xml and html	USPAT	2004/10/18 12:19
-	277	transaction with business adj entity	USPAT;	2004/10/18 12:50
		•	US-PGPUB;	
			EPO;	
,	•		DERWENT;	
	<u> </u>	transaction with hypinass and a state (IBM_TDB	0004/40/40 40 54
-	1	transaction with business adj entity with (detect\$4 or notif\$8	USPAT;	2004/10/18 12:51
		or occurence)	US-PGPUB; EPO;	
		·	DERWENT;	•
			IBM_TDB	